

# SEQUENCE LISTING

<110> TAKAHASHI Hiroshi  
HANADA Shuichi  
SUNAGA Makoto

<120> METHOD OF EXAMINING CANCER CELLS AND REAGENT THEREFOR

<130> 0760-0346PUS1

<140> US 10/533,878

<141> 2005-05-05

<160> 17

<170> patentin 3.2

<210> 1

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide forward primer used in inverse PCR for amplifying  
a region of HTLV-1 gene

<400> 1

aagccggcag tcagtcgtga

20

<210> 2

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide reverse primer used in inverse PCR for amplifying  
a region of HTLV-1 gene

<400> 2

aagtaccggc aactctgctg

20

<210> 3

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide forward primer used in inverse PCR for amplifying  
a region of HTLV-1 gene

<400> 3

gaaagggaaa ggggtggaac

20

<210> 4

<211> 20

<212> DNA

<213> Artificial Sequence

<220>  
 <223> Oligonucleotide reverse primer used in inverse PCR for amplifying  
 a region of HTLV-1 gene

<400> 4  
 ccagcgacag cccattctat 20

<210> 5  
 <211> 24  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Oligonucleotide probe used for detecting a region of HTLV-1 gene

<400> 5  
 ctccaggaga gaaatttagt acac 24

<210> 6  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Oligonucleotide forward primer used for measuring pX gene in HTL  
 V-1 gene

<400> 6  
 ttcccagggt ttggacagag 20

<210> 7  
 <211> 20  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Oligonucleotide reverse primer used for measuring pX gene in HTL  
 V-1 gene

<400> 7  
 cgaagatagt cccccagaga 20

<210> 8  
 <211> 25  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Oligonucleotide TaqMan probe used for measuring pX gene in HTLV-1  
 gene

<400> 8  
 ataccagtc tacgtgtttg gagac 25

<210> 9  
 <211> 20  
 <212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide forward primer used for measuring beta-globin gene

<400> 9

acacaactgt gttcactagc

20

<210> 10

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide reverse primer used for measuring beta-globin gene

<400> 10

caacttcacac cacgttcacc

20

<210> 11

<211> 25

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide probe used for measuring beta-globin gene

<400> 11

aacagacacc atggtgcacac tgact

25

<210> 12

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide forward primer used for measuring PCD1 gene

<400> 12

gacaaggctg ccctctccta

20

<210> 13

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide reverse primer used for measuring PCD1 gene

<400> 13

ttaaatacaag accagatgtg gaagac

26

<210> 14

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide TaqMan probe used for measuring PCD1 gene

<400> 14

ctttcccaag accaggctgc cacttct

27

<210> 15

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide forward primer used for measuring 4F2 gene

<400> 15

tccttcttgc cggctcaac

19

<210> 16

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide reverse primer used for measuring 4F2 gene

<400> 16

gcattccaggc caatctcatc

20

<210> 17

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide TaqMan probe used for measuring 4F2 gene

<400> 17

cgactctacc agctgatgct cttcaccc

28